

STAGESTEP[®]
Flooring Solutions

Shop Online
STAGESTEP.COM

*Free Shipping & Handling
On Nearly All Online Purchases
for the contiguous United States*

Supersedes all previous editions as of January 2023



**FLOORING
SYSTEMS**
FOR EVERY MOVE
YOU MAKE

2023 Edition

Photo credit: Margo Reed Studio, Elliana Quiner

(800) 523-0960
(In the U.S.)

(866) 491-9019
(In Canada)

1(215) 636-9000
(International)

Stagestep Offers an Array of Dance Floor Surfaces and Floating Wood Subfloors

For many, it may seem like an overwhelming choice of products and options that is off-putting. It doesn't need to be.

Stagestep is here to guide you to your perfect flooring system suitable for how and where you dance. Answer a few questions and our representatives will put together a written proposal which will include everything you need.

We will customize materials to fit your space and we will provide installation and maintenance guides, online instructions, and technical support via the phone and on our website.

What's New

Timestep- Now offering an additional range of colors. See page 8.

Introducing **Pulse**, a new professional grade studio flooring with foam-backing to cushion point shoes. For all forms of dance except tap. See page 13.

Introducing **Ovation**, a high-gloss, light-weight portable and permanent flooring in six vibrant colors. See page 11.

Table of Contents

WHERE DO I BEGIN?	3
EVERYTHING YOU NEED TO KNOW	4
BESTSELLERS	5
FLOORS FOR HOW YOU MOVE	6-7
MARLEY FLOORS	8-13
ENCORE AND ENCORE ELITE	14
SPRINGSTEP V	15
PERMANENT/SPRINGFLEX	16-17
SPRINGSTEP II & III	18
SPRINGSTEP IV PLUS	19
PERSONAL PRACTICE MATS & BOARDS ...	20
HOME STUDIO FLOORING	21
FLOORING INSTALL SUPPLIES/TAPES	22
ADHESIVE, VAPOR BARRIER, WALL BASE ..	23
MAINTENANCE PRODUCTS	24
MAINTENANCE KITS / FLOORSHIELD II	25
MIRRORS/TRAVEL	26

*Purchase orders accepted from all public education institutions, governments and military.

Ordering Is Easy

ORDER SUBFLOORING AND FLOORING BY PHONE

(800) 523-0960

(215) 636-9000

(866) 491-9019

8:00am to 5:00pm EST Monday through Friday

MAIL

STAGESTEP, 4701 Bath Street, #46 B, Philadelphia, PA 19137.

Make checks payable to **STAGESTEP**

EMAIL

sales@stagestep.com for orders by credit card and purchase order* only. Also, request product information and price quotes.

ONLINE STORE

Order all products, other than flooring and subflooring, 24/7 online at **stagestep.com**
Free shipping in contiguous USA.

ONLINE UPDATES

Check **stagestep.com** for availability, prices changes, special sales, new products, and answers to your flooring questions. Sign-up online to receive our weekly emails. Follow us on Facebook and Instagram.

HOT RUSH DELIVERY SERVICE

When you have little or no time between ordering your floor and your studio opening or upcoming performance, you can rely on the **Stagestep Hot Rush** Delivery Service. Ask a **Stagestep** representative for details. Expedited shipping & handling is available at an extra charge.

Shipping & Ordering

UNITED STATES HEADQUARTERS

Stagestep, Inc.

4701 Bath Street, #46 B

Philadelphia, PA 19137-2235

(800) 523-0960

(215) 636-9000

(267) 672-2912 (fax)

Email: info@stagestep.com

WORLDWIDE SALES

Canada

EnPointe

1 (866) 491-9019

Email: linda@en-pointe.com

Argentina

Stage+Tech SRL—Tecnología para el Espectáculo

Telephone: **54-11-4777-1759**

Email:

antonio.agra@stagetech.com.ar

Singapore:

Er Dancefloor Systems

Int'l Number: **65-9155-2267**

Email: edtay8@gmail.com

United Kingdom/Europe:

Flint Hire Supply

Int'l Number: **44 (0) 20-7703-9786**

Email: sales@flints.co.uk

See insert for prices in USD which are subject to change without notice. Latest pricing can be found on the website, stagestep.com

INFORMATION ABOUT INSTALLATION AND MAINTENANCE IS PUBLISHED ON OUR WEBSITE

Where Do I begin?

Prioritize your choices by answering the following questions. Then call **Stagestep** to select products and get a written quote.

CONSIDER THE CIRCUMSTANCES

1. Do you rent or own the space?
2. Is this new construction or a renovation?
3. Will this be long-term or short-term use?
4. Do you want your floor system to be portable, permanent, or semi-permanent?

DEFINE THE SPACE

1. What kind of floor or slab is currently in the space?
2. What is the slab/floor's current condition?
3. Where is the space (basement, first floor, home, commercial space, theatre)?
4. What is the length and width of the space (in feet or meters)?
5. Is the space temperature and humidity controlled?
6. What is the ceiling height?

FLOORING USE

1. What type of activities will take place on the floor?
2. Is the space under supervision while in use?
3. Will the space be occasionally used for other activities such as receptions?
4. Will equipment be used or placed on the floor?

What Do I Need to Know to Prevent Injury?

SAFETY

Safety is the number one issue with dancers and their teachers when it comes to floors. The first safety concern is the non-slip characteristic of the surface. Ballet dancers need very non-slip surfaces while contemporary dancers in bare feet need smooth, giving surfaces so the floor does not cause injury to the bottoms of their feet. Tappers need some give, yet also need the assurance under foot of a surface on which they can slide. Ballroom and theatre dance require a "fast" (less nonslip) surface.

In an ideal world, each dance discipline would have its own unique floor surface. Since this is unlikely, **Stagestep** offers floors that can be "adjusted" to meet the average needs of different dance disciplines. We also have finishes and treatments that can modify a floor surface to be more accommodating to other dance styles.

SHOCK ABSORBENCY

The second safety concern is the ability of the floor to absorb and dissipate energy, and/or safely return energy (resilient energy). If the floor fails to absorb or safely return energy, the body becomes the shock absorber, resulting in fatigue, pain, and injury. A performer's nemesis is concrete or any other surface that is hard and unyielding.

All movement activity generates energy. Energy directly returned to the body can result in shin splints, back and knee problems, fatigue, strains, and even broken bones. A non-energy absorbent floor or flooring system is dangerous. It can result in injury and lawsuits. Concrete is non-energy absorbent. Any substance put directly on concrete does not remove you from the concrete unless it contains air (like foam). Basket weave and foam sprung floating subfloors provide shock absorbent characteristics that reduce the problems associated with hard, non-absorbent floors.

LATERAL FOOT SUPPORT

Perhaps the most overlooked attribute is lateral foot support. Without lateral foot support, the dancer cannot maintain balance. The leading cause of injury is not shin splints but ankle injury, due in part to flooring systems that rely solely on absorbent materials or systems that are too spongy. A term you may come across is **point elastic**, meaning deflection of the floor at the point of impact. The greater the deflection, the more unstable the floor.

Other Basics to Know:

MAINTENANCE

It's important for every dance floor system to have a maintenance schedule. Wood floors need extra care, with screening or sanding and finishing every 12 months. All floors require daily, weekly, and monthly attention. **A clean and hygienic floor is a safe floor.**

Complete maintenance advice and instructions are available in our Maintenance Guide online @ stagestep.com


ENVIRONMENT

Big swings in humidity and/or temperature can cause adverse effects, such as expansion and contraction, and/or excessive slipperiness. Direct sunlight may cause floors to expand as well. Windows should have curtains, shading or adequate tinting.

TELEGRAPHING (VISIBLE SEAMS)

Does not affect performance or wear. It is not a defect. Most floating subfloors will telegraph seamline from below, to some extent.

To order, call in the U.S. (800) 523-0960 or Canada (866) 491-9019
(215) 636-9000 • stagestep.com • sales@stagestep.com



Everything you Need to Know About Creating a Dance Studio Floor System

VAPOR BARRIER

A vapor barrier is the first step. It is always needed for installation over concrete or sub-grade floors that do not have a vapor barrier already installed. Vapor barriers prevent moisture from escaping the concrete and being absorbed by the wood subfloor, potentially swelling and warping the wood. (See page 23.)

FLOATING WOOD SUBFLOOR

A floating wood subfloor is one of the most important elements. It provides shock absorption, resilience, and lateral foot support. Wood is totally suspended off the slab. (See pages 15-19.)

FLOOR SURFACES

Consider budget, types of dance activity, color, wear characteristics and texture. Avoid VCT, laminate and all non-dance floor certified products.

- **Rollout flooring:** All rollout floors, typically referred to as marley (vinyl) floors, are available in a variety of material configurations and a multitude of colors. Different flooring surfaces are best suited to specific disciplines. Some flooring can be used of all types of dances. (See pages 8–13.)
- **Encore:** A click-and-lock transportable hardwood floor with a factory finish and integrated sprung floor. No adhesive, screws or nails required. (See page 14.)
- **Hardwood:** For a permanent installation, a tongue-and-groove hardwood surface available in a variety of woods with a SpringFlex floating wood subfloor. (See pages 16-17.)



Click-and-lock system Encore system

ADHESIVES & TAPES

There are five options for affixing vinyl flooring to your subfloor. Choosing the proper product for your installation depends on whether you are permanently, semi-permanently or temporarily installing your floor. (See page 22-23.)

TRANSITION RAMP

ADA safety standards require a ramp for access without any blockage for surfaces that rise 1 1/2" above the ground. Ramps are lightweight and can easily support more than 1,000 lbs. (See page 23.)

VENTED WALL BASE

Subfloors are designed, constructed, and installed to leave a 1/2" gap between the floating subfloor and the wall to allow for air circulation. A vented wall base is designed to cover this space. (See page 23.)

MAINTENANCE PRODUCTS

Stagestep offers a variety of maintenance products and finishes to help your floor stay clean and sanitized. (See page 24-25.)

Our Customers Say It Best

"I loved working with Stagestep as I realized my lifelong dream of building out a dance studio. Dancing on the floors is an absolute joy!"

Gitanjali Dadlani Morris
The Dance Floor



Encore floor system

See insert for prices in USD which are subject to change without notice. Latest pricing can be found on the website, stagestep.com

INFORMATION ABOUT INSTALLATION AND MAINTENANCE IS PUBLISHED ON OUR WEBSITE

Our Best-Selling Duo

TIMESTEP

The ultimate multi-purpose floor ideally suited for all movement activity including tap, hip-hop, ballet, contemporary, character, ballroom, jazz and flamenco. Heavy duty portable and permanent flooring for stage, touring and studio. Can handle heavy scenery and props. Surface can be treated for differing degrees of non-slip. (See pages 8-9.)

SPRINGSTEP IV PLUS IMPROVED

The professional standard for floating wood resilient permanent and semi-permanent subfloors over concrete slabs and other hard surfaces. Resilient and energy absorbent. Safety and performance at a great price.

The nominal 2' x 2' prefabricated panels, with tongue and groove connection system, rest on "L" shaped high density foam suspension forms. **Springstep IV Plus** offers excellent energy absorption and resilience. Its tongue and groove system allows for easy assembly.

The 9.4 lb panels can be installed in hours instead of days. No screws. No staples. No nails. No patching. No sanding. It is 1/4 the work with only rotary saw needed to cut panels to fit the space and stagger the seams. Easy to disassemble, move to a new location, and re-install. (See page 19.)

Cushion-Backed Dance Floors

Stagestep offers three (**Dancestep Plus**, **Woodstep Plus**, and **Woodstep Ultra**) rollout floors that have heavy-duty wear surfaces and high-density foam underlayments. They can be installed directly over sealed concrete and have very good absorbency, excellent performance, but reduce the level of sound generated, which means they are **not recommended for tap**. (See pages 12-13.)

FLOATING WOOD SUBFLOORS

Stagestep offers multiple floating wood subfloors (**Springstep II, III, IV Plus** (with customized variations), **V, SpringFlex**) to absorb, dissipate, and provide safe, resilient energy return. (See pages 17-19.)

All floor surfaces without foam backing provide no relief from a hard concrete slab. This includes wood floors placed directly on wood joists. Check the adjacent flooring charts for relative characteristics and the ideal combination for your movement activity.

Our Customers Say It Best

*"All of my studios have **Stagestep** flooring back from 1981. If you want the quality and the installation of your life that's going to last, and really make your studio special, think of **Stagestep**."*

Joan Myers Brown

Founder of Philadanco (Philadelphia Dance Company), International Association of Blacks in Dance and The Philadelphia School of Dance Arts; 2019 "BESSIE" Lifetime award winner. Recipient of the 2012 Presidential National Medal of Arts.



Joan Myers Brown, Timestep and Springstep professional dance flooring system.



Springstep IV Plus

To order, call in the U.S. (800) 523-0960 or Canada (866) 491-9019
(215) 636-9000 • stagestep.com • sales@stagestep.com

The Best Floors for Every Move You Make

Marley Flooring

BRAVO CLASSIC

Lightweight, more affordable reversible touring floor.

Great for...

Ballet, Hip-hop/Contemporary, Jazz

Good for...

Theatrical Folk/Ethnic Character, Ballroom, Multi-Purpose

Not recommended for...

Tap

DANCESTEP PLUS*

Cushioned-back flooring designed to be installed directly on a concrete slab.

Great for...

Ballet, Contemporary, Jazz, Theatrical, Folk

Good for...

Hip-hop

Not recommended for...

Tap

PULSE

NEW

Studio performance floor. The performance floor for ballet.

Great for...

Ballet, Contemporary, Jazz

Good for...

Hip-hop, Theatrical Folk, Character*

Not recommended for...

Tap

RAVE

Lightweight portable or permanent.

Great for...

Ballet, Contemporary, Jazz

Good for...

Hip-hop

Not recommended for...

Theatrical, Folk/Ethnic Character, Tap

OVATION

NEW

Gloss with all that pizzazz!

Great for...

Ballet, Hip-hop/Contemporary, Jazz, Theatrical Folk/Ethnic Character, Ballroom

Not recommended for...

Tap

Available in 5 colors

SUPER BRAVO

Reversible, portable marley type floor.

Great for...

Ballet, Hip-hop/Contemporary, Jazz

Good for...

Theatrical Folk/Ethnic Character, Ballroom, Multi-Purpose

Not recommended for...

Tap

SUPER BRAVO PRO

33% Thicker and more durable! Reversible marley type floor.

Great for...

Ballet, Tap, Hip-hop, Contemporary, Jazz, Theatrical Folk/Ethnic Character, Ballroom, Multi-Purpose

SUPER TIMESTEP

Flexibility of a marley floor, very non-slip and an excellent multi-purpose floor.

Great for...

Ballet, Tap**, Hip-hop, Contemporary, Jazz, Theatrical Folk/Ethnic Character, Ballroom**, Multi-Purpose

TIMESTEP

Heavy-duty multi-purpose studio floor.

Great for...

Ballet, Tap, Hip-hop/Contemporary, Jazz, Theatrical Folk/Ethnic Character, Ballroom, Multi-Purpose

New colors

TIMESTEP T

Lightweight, portable, multi-purpose floor at a low price.

Great for...

Ballet, Tap, Hip-hop, Contemporary, Jazz, Theatrical Folk/Ethnic Character, Ballroom, Multi-Purpose

*Sound reduction produces less than performance quality results for percussive dance.

** With the use of FloorShield II.

See insert for prices in USD which are subject to change without notice. Latest pricing can be found on the website, stagestep.com

INFORMATION ABOUT INSTALLATION AND MAINTENANCE IS PUBLISHED ON OUR WEBSITE

Marley Flooring

WOODSTEP

Great for multi-purpose dance, wood look.

Great for...

Ballet**, Tap**, Hip-hop/Contemporary, Jazz, Theatrical, Folk/Ethnic Character, Multi-Purpose

WOODSTEP PLUS *

Slightly textured, heavy-duty surface, wood look.

Great for...

Ballet**, Hip-hop/Contemporary, Jazz

Not recommended for...

Tap, Ballroom

WOODSTEP ULTRA *

Slightly textured, heavy-duty surface, wood look.

Great for...

Ballet**, Hip-hop/Contemporary, Jazz

Not recommended for...

Tap, Ballroom

*Sound reduction produces less than performance quality results for percussive dance.

**With the use of Floorshield II.

Wood Flooring

ENCORE HOME

Real hardwood, perfect for the home studio.

Great for...

Tap, Hip-hop/Contemporary, Jazz, Theatrical Folk/Ethnic Character, Ballroom, Multi-Purpose

Good for...

Ballet**

ENCORE AND ENCORE ELITE

Exceptional real hardwood design.

Great for...

Tap, Hip-hop/Contemporary, Jazz, Theatrical Folk/Ethnic Character, Ballroom, Multi-Purpose

Good for...

Ballet**

PERMANENT WOOD FLOORING

Great for...

Ballet, Tap, Hip-hop/Contemporary, Jazz, Theatrical Folk/Ethnic Character, Ballroom, Multi-Purpose

Hardwood flooring requires FloorShield II

Sub-Flooring

SPRINGFLEX

Ideal absorption, resiliency and sound amplification levels for all uses. Used primarily with wood dance floors for permanent installations.

Recommended for...

Ballet, Hip-hop, Theater, Folk, Ethnic, Character, Jazz, Ballroom, Tap, Contemporary, Multipurpose Dance

SPRINGSTEP II

Resilience, absorbency and sound amplification well-suited for all uses.

Recommended for...

Ballet, Hip-hop, Theater, Folk, Ethnic, Character, Jazz, Tap, Contemporary, Multipurpose Dance

SPRINGSTEP III *

The most absorbent and least resilient option, with a low amount of sound amplification.

Recommended for...

Ballroom, Ballet, Hip-hop, Theater, Folk, Ethnic, Character, Jazz, Tap, Contemporary, Multipurpose

SPRINGSTEP IV Plus IMPROVED

Most resilient. Ideal for high impact activities such as dance, cheer & aerobics.

Recommended for...

Ballet, Theater, Folk, Ethnic, Jazz, Tap Contemporary, Multipurpose

SPRINGSTEP V

Durable and portable multi-purpose floating wood subfloor with integrated foam underlayment for all dance and theatrical activities.

Recommended for...

Ballet, Theater, Folk, Ethnic, Jazz, Tap Contemporary, Multipurpose




Woodstep Plus

To order, call in the U.S. (800) 523-0960 or Canada (866) 491-9019
(215) 636-9000 • stagestep.com • sales@stagestep.com

At A Glance

- Heavy-duty
- Multi-purpose
- Tap floor and much more
- Ultimate studio floor
- Permanent or portable



*Do not use ReUseIt with Timestep T during installation.
Use Double-Faced Tape or 4" Installation Tape.

TIMESTEP'S NEW COLORS



Marbelized Light Grey



Marbelized Dark Grey



Wood Look

Check website for availability.

Timestep Collection

The ultimate multi-purpose floor ideally suited for all movement activity including tap, hip-hop, ballet, contemporary, character, ballroom, jazz and flamenco. Heavy-duty, portable, and permanent flooring for stage, touring and studio. Can handle heavy scenery and props. Surface can be treated for differing degrees of non-slip.

Super Timestep

Ideal for ballet, pointe work, contemporary, jazz and all dance forms requiring a superior non-slip, textured surface. Durable wear layer makes for an excellent multi-purpose floor with a fiberglass reinforced lining for lie-flat quality. Energy transfer layer allows for tap and percussive dance. Flexible for easy roll-out and roll-up like a standard marley. Installed permanently with adhesive or temporarily with tape, or **ReUseIt**. See insert or website for current pricing.

Timestep

The ultimate multi-purpose floor ideally suited for all movement activity including tap, hip-hop, ballet, contemporary, character, ballroom, jazz and flamenco. Made of 2mm (.08") thick solid homogeneous PVC. Heavy-duty flooring for stage, touring and studio. Can handle heavy scenery and props. Surface can be treated for differing degrees of non-slip. Installed permanently with adhesive or temporarily with tape, or **ReUseIt**. See insert or website for current pricing.

IN STOCK COLORS

Available for immediate shipment, 24 – 72 hours.



Solid Grey



Solid Black: Full Rolls Only.



Marbelized Medium Grey



Marbelized Light Tan

Timestep T

Made of same material as **Timestep** (solid PVC) but 25% thinner and lighter for touring and temporary installation at an economical cost. Also suited for all movement activity including tap, hip-hop, ballet, contemporary, character, ballroom, jazz and flamenco. Can handle heavy scenery and props. Surface can be treated for differing degrees of non-slip. See insert or website for current pricing.

IN STOCK COLOR

Available for immediate shipment, 24 – 72 hours.



Marbelized Medium Grey

CUSTOM COLORS AVAILABLE IN FULL ROLLS ONLY

Allow up to 6–10 weeks for delivery



Slate Grey: Timestep and Timestep T



Atlantic Blue: Timestep Only



Cherry: Timestep only

See insert for prices in USD which are subject to change without notice. Latest pricing can be found on the website, stagestep.com

INFORMATION ABOUT INSTALLATION AND MAINTENANCE IS PUBLISHED ON OUR WEBSITE

Timestep Collection

SUPER TIMESTEP

Price	See insert or website for current pricing
Thickness	.10" (2.5 mm)
Width	6.56' (2 lm)
Weight	6.45 lbs. per sq. yd. (3.5 kg per sq. meter)
Full Roll Length	65' (20 lm)
Full Roll Weight	309 lbs (140 kg)
Full Roll SQ FT/YD (M²)	430 sf/47.38 sy (40m2)
Colors	Solid Black, Solid Grey
Material	3-Layer laminate Fiberglass-lined Single PVC wear layer Energy transfer layer
Life Expectancy	Up to 18–22 years
Guarantee	1 year against wear

TIMESTEP

Price	See insert or website for current pricing
Thickness	.08" (2 mm)
Width	6.56' (2 lm)
Weight	5.9 lbs. per sq. yd. (3.2 kg per sq. meter)
Full Roll Length	65' (20 lm)
Full Roll Weight	282 lbs (128 kg)
Full Roll SQ FT/YD (M²)	430 sf/47.38 sy (40m2)
Colors	Solid Black (full rolls only), Solid Grey, Marbleized Light Grey, Marbleized Grey, Marbleized Dark Grey, Marbleized Tan.
Material	100% Homogeneous PVC wear layer
Life Expectancy	Up to 18 years
	1 year against wear

TIMESTEP T

Price	See insert or website for current pricing
Thickness	.06" (1.5 mm)
Width	6.56' (2 lm)
Weight	4.35 lbs. per sq. yd. (2.36 kg per sq. meter)
Full Roll Length	90' (27.5 lm)
Full Roll Weight	286 lbs (130 kg)
Full Roll SQ FT/YD (M²)	592 sf/65.6 sy (55m2)
Colors	Marbleized Grey
Material	100% Homogeneous PVC wear layer
Life Expectancy	Up to 10 years
Guarantee	1 year against wear


Aluminum compound taps can disintegrate on flooring, leaving a black/grey residue. See maintenance instructions online at stagestep.com. To avoid this residue, use aluminum or steel taps. Use TapShield (page 24) or FloorShield Maintenance System (page 25) to lessen this problem. For Micron Wipes (see page 24).

Our Customers Say It Best

*"We are very happy with our **Stagestep** floors at our historic studios in New York City—so when we built our new extension in Long Island City, there was no question whom we would call first. **Stagestep's SpringFlex** subfloor systems and rollout **Super Timestep** vinyl flooring is high-quality, durable, and a tremendous value. They handled everything from selecting the most appropriate floor for our needs to installation. Our instructors and students have been dancing on our new floors and they are thrilled."*

F. Lee Merwin

Director of Operations, Joffrey Ballet School




Timestep, multi-purpose studio, stage and touring floor.


To order, call in the U.S. (800) 523-0960 or Canada (866) 491-9019
(215) 636-9000 • stagestep.com • sales@stagestep.com

At A Glance


- Lightweight
- Economical
- Reversible
- Easy maintenance



Super Bravo Pro is 33% thicker than Classic. All the qualities of **Super Bravo** and also rated for flamenco and tap. The extra thickness makes for extra versatility and durability.



Super Bravo has all the qualities of **Bravo Classic** but is 13% thicker for increased durability and longevity. A floor made for the studio but still light enough to take on the road.



The classic marley floor with a fiberglass lining. Reversible, lightweight, portable, economical. marley flooring. Ideal for contemporary, hip-hop, jazz. Excellent for ballet. A dance floor made for stage, studio and touring. Not recommended for tap.

Bravo Collection

Reversible, lightweight, portable marley flooring, perfect for stage, studio and touring. A fiberglass lining improves stability and offers better lie-flat on subfloor. Superior work surface for jazz, contemporary, ballet and other movement activities. Only **Super Bravo Pro** is recommended for tap. **Bravo Classic** is lighter and less expensive.

SUPER BRAVO PRO

Price	See insert or website for current pricing
Thickness	.08" (2.0 mm)
Width	6.56' (2 lm)
Weight	4.8 lbs. per sq. yd. (2.6 kg per sq. meter)
Full Roll Length	65' (20 lm)
Full Roll Weight	230 lbs (104 kg)
Full Roll SQ FT/YD (M²)	430 sf/47.38 sy (40 m ²)
Colors	Grey/Black Reversible
Material	3-Layer laminate Fiberglass-lined 2 PVC wear layers
Life Expectancy	Up to 10 years
Guarantee	1 year against wear

SUPER BRAVO

Price	See insert or website for current pricing
Thickness	.07" (1.7 mm)
Width	6.56' (2 lm)
Weight	3.87 lbs. per sq. yd. (2.1 kg per sq. meter)
Full Roll Length	98' (30 lm)
Full Roll Weight	278 lbs (126 kg)
Full Roll SQ FT/YD (M²)	645 sf/71.43 sy (60 m ²)
Colors	Grey/Black Reversible, Grey/Grey Reversible, Black/Black Reversible, White/Black Reversible
Material	3-Layer laminate Fiberglass-lined 2 PVC wear layers
Life Expectancy	Up to 10 years
Guarantee	1 year against wear

BRAVO CLASSIC

Price	See insert or website for current pricing
Thickness	.06" (1.5 mm)
Width	6.56' (2 lm)
Weight	3.32 lbs. per sq. yd. (1.8 kg per sq. meter)
Full Roll Length	98' (30 lm)
Full Roll Weight	238 lbs (108 kg)
Full Roll SQ FT/YD (M²)	645 sf/71.43 sy (60 m ²)
Colors	Grey/Black Reversible
Material	3-Layer laminate Fiberglass-lined 2 PVC wear layers
Life Expectancy	Up to 7 years
Guarantee	1 year against wear



See insert for prices in USD which are subject to change without notice. Latest pricing can be found on the website, stagestep.com

INFORMATION ABOUT INSTALLATION AND MAINTENANCE IS PUBLISHED ON OUR WEBSITE

Foam-Backed Collection


Ovation Flooring *NEW*

Ovation floors are dedicated to spectacular dance performances and entertainment events. The shiny and glossy surfaces increase lighting effects, providing your show an amazing look. If you want to emphasize what is going on in front of the scenes, use this shimmering surface. Ovation can be used for exhibitions, photography, tv commercials, stage and more.



Price	See insert or website for current pricing
Thickness	.08" (2 mm)
Width	4.92' (1.5 lm)
Weight	2.4 lbs. per sq. yd. (1.3 kg per sq. meter)
Full Roll Weight	82' (25 lm) 108 lbs. (48.75 kg)
Full Roll SQ FT/YD (M²)	403 sf/44.84 sy (37.5 m ²)
Colors	Black, Light Grey, Dark Grey, Ivory, Red
Material	100% virgin PVC with fiberglass lining 3 Layer laminate Fiberglass lined Single PVC wear layer Base foam layer.
Life Expectancy	Up to 5 years
Guarantee	1 years against wear

CUSTOM COLORS Full Rolls Only




Allow 6-10 weeks for delivery Check website for availability.

Rave Flooring

Lightweight portable or permanent marley flooring with a full spectrum color palette. A fiberglass lining offers stability and great lie-flat on subfloor. A thin foam backing adds comfort underfoot. Ideal for all dance and theatrical activities, **except tap**. Recommended for ballet, jazz and contemporary dance.

Price	See insert or website for current pricing
Thickness	.08" (2 mm)
Width	6.56' (2 lm)
Weight	2.4 lbs per sq. yd. (1.3 kg per sq. meter)
Full Roll Length	82' (25 lm)
Full Roll Weight	144 lbs (65 kg)
Full Roll SQ FT/YD (M²)	538 sf/59.77 sy (50 m ²)
Colors	Solid Black, Solid Grey, Solid Tan
Material	3-Layer laminate Fiberglass-lined Single PVC wear layer Base foam layer
Life Expectancy	Up to 10 years
Guarantee	1 year against wear

Great value, even greater versatility in lightweight dance and theater flooring.



IN STOCK COLORS

Available for immediate shipment, 24 – 72 hours.



CUSTOM COLORS


Full Rolls Only through special order.

Allow up to 6-10 weeks for delivery. Check website for available colors.


To order, call in the U.S. (800) 523-0960 or Canada (866) 491-9019
(215) 636-9000 • stagestep.com • sales@stagestep.com

At A Glance


- Woodstep has the look of real wood
- Easy install
- Great lie-flat
- Non-slip
- Portable



Slightly textured, heavy-duty surface. Exceptionally realistic wood design combines form, function, and ease of installation. Resists wear and tear. Great for dance and multi-purpose activities.



Recommended for ballet, jazz, contemporary dance and virtually all movement activities. Surface is made of protective coating which is slightly textured. Not recommended for tap due to cushion-backing which mutes sound. Can be installed directly on a concrete slab without a floating subfloor.



Has all the qualities of Plus with extra shock absorption provided by a dual-density foam backing. Recommended for ballet, jazz, contemporary. Not recommended for tap due to cushion-backing which mutes sound. Can be installed directly on a concrete slab without a floating subfloor.

Woodstep Collection

Woodstep floors have the look and feel of wood without the maintenance expense. These are multi-purpose floors for those that need the premium aesthetic provided by a wood look. Excellent for all types of dance. (**FloorShield II** needed for tap.)

WOODSTEP

Price	See insert or website for current pricing
Thickness	.08" (2.0 mm)
Width	6.56' (2 lm)
Weight	6.5 lbs. per sq. yd (3.53 kg per sq. meter)
Full Roll Length	65' (20 lm)
Full Roll Weight	311 lbs (141 kg)
Full Roll SQ FT/YD (M²)	430 sf/47.38 sy (40 m ²)
Colors	Oak
Material	4-Layer laminate Fiberglass-lined Clear PVC wear layer Photo image layer Base foam layer
Life Expectancy	Up to 18–22 years
Guarantee	1 year against wear

WOODSTEP PLUS

Price	See insert or website for current pricing
Thickness	.26" (6.7 mm)
Width	6.56' (2 lm)
Weight	7.56 lbs. per sq. yd. (4.1 kg per sq. meter)
Full Roll Length	65' (20 lm)
Full Roll Weight	359 lbs (164 kg)
Full Roll SQ FT/YD (M²)	430 sf/47.38 sy (40 m ²)
Colors	Maple
Material	5-Layer laminate Fiberglass-lined Clear PVC wear layer Photo image layer Dual base foam layers
Life Expectancy	Up to 18 years
Guarantee	1 year against wear

WOODSTEP ULTRA

Price	See insert or website for current pricing
Thickness	.32" (8.0 mm)
Width	6.56' (2 lm)
Weight	7.93 lbs. per sq. yd. (4.3 kg per sq. meter)
Full Roll Length	49' (15 lm)
Full Roll Weight	285 lbs (129 kg)
Full Roll SQ FT/YD (M²)	321 sf/35.72 sy (30 m ²)
Colors	Maple
Material	5-Layer laminate Fiberglass-lined Clear PVC wear layer Photo image layer Dual base foam layers
Life Expectancy	Up to 10 years
Guarantee	1 year against wear

See insert for prices in USD which are subject to change without notice. Latest pricing can be found on the website, stagestep.com

INFORMATION ABOUT INSTALLATION AND MAINTENANCE IS PUBLISHED ON OUR WEBSITE

Specialty Collection


Dancestep Plus Flooring

Dancestep Plus is a dual-density foam-backed flooring designed to be installed directly on a properly sealed concrete slab. Dual-density foam gives increased energy absorption. Textured wear layer makes for a non-slip surface. Great for all styles of dance except tap (due to sound reduction).

Price	See insert or website for current pricing
Thickness	.24" (6.0 mm)
Width	6.56' (2 lm)
Weight	6.73 lbs. per sq. yd. (3.65 kg per sq. meter)
Full Roll Length	65' (20 lm)
Full Roll Weight	322 lbs (146 kg)
Full Roll SQ FT/YD (M²)	430 sf/47.38 sy (40 m2)
Colors	Solid Black, Solid Grey
Material	4-Layer laminate Fiberglass-lined Single PVC wear layer Dual Base foam layer
Life Expectancy	Up to 18 years
Guarantee	1 year against wear

At A Glance

- Heavy-duty
- Installs directly over concrete
- Excellent for professional and home use
- Easy install
- Non-slip




Dual layer cushion base for double the energy absorption.

Pulse Flooring **NEW**

Pulse, the studio performance floor for ballet, contemporary, and jazz. Cushion-backed flooring reduces sound. Non-slip surface ideal for pointe work. Not recommended for tap (sound muting).

Price	See insert or website for current pricing
Thickness	.122" (3.1 mm)
Width	4.92' (1.5 lm)
Weight	4.24 lbs. per sq. yd. (2.3 kg per sq. meter)
Full Roll Length	65' (20 lm)
Full Roll Weight	152 lbs (69 kg)
Full Roll SQ FT/YD (M²)	322.9 sf/35.88 sy (30 m2)
Colors	Black, Grey
Material	4-Layer laminate Single PVC wear layer Surface backing Fiberglass grid Base foam layer
Life Expectancy	10-15 years
Guarantee	1 year against wear



Non-slip surface ideal for contemporary, jazz, ballet and pointe work. Not recommended for tap (sound muting).



Our Customers Say It Best

"One of the best investments a studio owner can make for their dancers is quality flooring with injury preventing elements. The safety and longevity of the ICON dancers is most important to us, and there is no better choice than Stagestep flooring."

GEO Hubela
Dancer, Master Teacher, Choreographer

To order, call in the U.S. (800) 523-0960 or Canada (866) 491-9019
(215) 636-9000 • stagestep.com • sales@stagestep.com

At A Glance

- No adhesives, screws or nails needed for installation
- No sanding or finishing required
- Installs directly over a concrete slab with a vapor barrier
- Transportable
- Real oak hardwood for Encore
- Real maple hardwood for Encore Elite
- Seamless appearance



Encore Elite
Patented Click-And-Lock System



Encore Home

Encore Wood Flooring Collection

Exceptional real hardwood design combines form and function. **Encore** is the revolutionary “click-and-lock” transportable hardwood floor with a factory finish and an integrated sprung subfloor. Recommended for virtually all activities including tap, jazz, contemporary, ballroom, and multi-purpose use. **Encore Elite** uses maple hardwood for a harder, more durable surface. **FloorShield II** is recommended for ballet and for easier cleaning of tap shoe residue. (See page 25.)

ENCORE


Price	See insert or website for current pricing
Panel Width	7.875" (200 mm)
Panel Length	95.25" (2.42 lm)
Thickness	1.32" (33 mm)
Weight	11.5 lbs./panel (5.2 kg/panel)
Square ft./Panel	5.22 sq. ft.
Material	Oak Integrated floating subfloor
Life Expectancy	Up to 10–15 years
Guarantee	1 year manufacturer defect

ENCORE ELITE

Price	See insert or website for current pricing
Panel Width	7.875" (200 mm)
Panel Length	95.25" (2.42 lm)
Thickness	1.32" (33 mm)
Weight	11.5 lbs./panel (5.2 kg/panel)
Square ft./Panel	5.22 sq. ft.
Material	Maple Integrated floating subfloor
Life Expectancy	Up to 10–15 years
Guarantee	1 year manufacturer defect

STORAGE Wood panels should be stored flat on a skid of equal or greater dimension in a climate controlled environment.

Encore



Color: Oak


NOTICE FOR ENCORE WOOD FLOORING:
Prices do not include shipping & handling. Please contact **Stagestep** for shipping & handling quotes.

See insert for prices in USD which are subject to change without notice. Latest pricing can be found on the website, stagestep.com

INFORMATION ABOUT INSTALLATION AND MAINTENANCE IS PUBLISHED ON OUR WEBSITE

Springstep V Flooring

Durable, multi-purpose floating wood subfloor with integrated foam underlayment for all dance and theatrical activities. **Springstep V** is designed specifically for portable installations but can be installed permanently. Made from hardwood plywood with an easy assembly system which makes for tight-fitting seams and acoustically vibrant sound with no tools required. **Springstep V** is available with edging and transporter. Requires top flooring. **Call or email Stagestep for a quote.**



Storage and Transporter for Springstep V

Transporter for Springstep V panels are custom made for each order. **Allow 3 weeks for shipment.**



Storage and Transporter for Springstep V

NOTICE FOR SPRINGSTEP FLOATING WOOD SUBFLOORS:
Springstep V Portable Floating Wood Subfloors are Custom Made. Allow 3 weeks for delivery.

At A Glance

- Durable
- Portable
- Easy Assembly
- Custom made to your specifications

*Approximate price \$24 per sq. ft.

SPRINGSTEP V FULL PANEL

Integrated foam underlayment
47.25" X 47.25" x 2" (1.2 m X 1.2 m x 5 cm)
36 lbs (16.3 kg)

SPRINGSTEP V HALF PANEL

Integrated foam underlayment
47.25" X 23.625" x 2" (.6 m X .6 m x 5 cm)
19.5 lbs (8.8 kg)

SPRINGSTEP V EDGE

Solid
47.25" X 6" (1.2 m X .15 m)
6.0 – 6.5 lbs (2.72 -2.95 kg)

SPRINGSTEP V RAMP (Standard)

47.25" X 11" (1.2 m X .28 m)
10 – 11 lbs (4.5 - 5 kg)

SPRINGSTEP V RAMP (ADA)

47.25" X 28.5" (1.2 m X .725 m)
19 – 20 lbs (8.6 – 9.07 kg)

STORAGE AND TRANSPORTER FOR SPRINGSTEP V

Cart size 53" x 47" (footprint)
Pallet size: 56" x 48"
Each loaded cart: 800 lb ea


To order, call in the U.S. (800) 523-0960 or Canada (866) 491-9019
(215) 636-9000 • stagestep.com • sales@stagestep.com






At A Glance

- Superior energy absorption and resilience
- Custom made to your specifications
- Great sound for tap
- Up to a 20-year life expectancy

Hardwood SpringFlex Dance System


Total thickness: 2.77" (70.5 mm)









-  Hardwood surface. Customer choice. .75" (19 mm)
-  Cross laminated birch ply beam layer .71" (18 mm)
-  Cross laminated spring layer .47" (12 mm)
-  Cross laminated birch ply beam layer .47" (12 mm)
-  Elastic rubber shock pads .37" (9.5 mm)

Multi-Purpose SpringFlex Flooring System with rollout vinyl

Total thickness: 2.73" (69.5 mm), plus vinyl dance flooring



-  Vinyl dance flooring
-  Plywood deck .71" (18 mm) (supplied by customer)
-  Cross laminated beam .71" (18 mm)
-  Cross laminated spring layer .47" (12 mm)
-  Cross laminated beam .47" (12 mm)
-  Elastic rubber shock pads .37" (9.5 mm)

Dance and Multi-Purpose

Permanent Flooring Systems

Custom-made permanent flooring system with pre-fabricated SpringFlex subfloor for easy installation. Ideal for ballet, tap, jazz, contemporary, multi-purpose and theatre.

HARDWOOD

Price	See insert or website for current pricing
Specifications	Professional dance floor with state-of-the-art subfloor system. 2.77" (70.5 mm) above grade including 3/4" tongue & groove hardwood Shock absorption 62 % Rolling load w/o damage 1500
Finish/Surface Life Expectancy	Hardwood flooring Up to 20 years

MULTI-PURPOSE

Price	See insert or website for current pricing
Specifications	Professional dance floor with state-of-the-art subfloor system. 2.73" (69.5 mm) above grade not including vinyl dance floor Shock absorption 62 % (will vary with vinyl type) Rolling load w/o damage 1500
Finish/Surface Life Expectancy	Vinyl flooring with plywood (plywood to be supplied by customer) Up to 20 years



Springflex with hardwood floor. Call Stagestep for a custom quote.

All permanent flooring systems are custom made. Allow three weeks for shipping.

SpringFlex SubFloor System

The professional standard for floating wood resilient permanent subfloors for use over concrete slabs and other hard surfaces. This subfloor is resilient and energy absorbent. Safety and performance at a great price.

21st century state-of-the-art basket weave subfloor system. Pre-manufactured from cross-laminated birch and recycled rubber. Allows for easy installation of a professional subfloor system

Finish/Surface

Combine with plywood (supplied by customer) and any of our rollout floors, or use hardwood

Life Expectancy

20 years

Guarantee

1-year guarantee against manufacturer defects

Specifications

Area-elastic floors offering from 51 to 71% shock absorption. Meets or exceeds DIN-V 18032.2 requirements. Construction height is only 75–77 mm (3"). 45° degree installation equally distributes energy.

Call Stagestep for a custom quote.

SpringFlex Beam Weight: 5.7 lbs (2.6 kg)

Hardwood Floor Weight: ~ 3 lbs/sf (1.63 kg/sqm)

At A Glance

- State-of-the-art basket weave system
- 20-year life expectancy
- 1-year guarantee



SpringFlex

Our Customers Say It Best

*“When we built Starwest Studios in Hollywood, a state of the art broadcast dance studio, before all the lights, cameras and action, we had to lay the foundation. That is when we decided to install the best, a 3800 square foot **Stagestep** sprung wood dance floor. Our choreographers expect only the best! Starwest Studios has the largest sprung wood floor in Los Angeles, including a marley sprung floor also from **Stagestep** with a white Cyc for filming dance.”*


Sammy Oriti, Creative Director
Starwest Studios

To order, call in the U.S. (800) 523-0960 or Canada (866) 491-9019
(215) 636-9000 • stagestep.com • sales@stagestep.com


At A Glance

- Choice of multiple systems for any movement activity
- Recyclable
- Safe
- Cost effective
- Improves performance



Plywood layout for Springstep II and Springstep III



SPRINGSTEP II FOAM BLOCK LAYOUT



SPRINGSTEP II FOAM CUBE LAYOUT



Springstep II & III

Multi-purpose floating wood subfloor for all dance activities. Select resilience (spring) and absorbency suitable for what you do. The only custom transportable subfloor on the market.

Springstep II—Build It Yourself

Resilient floating wood subfloor that comes 2 3/4" (69.85 mm) or 1 1/2" (38.1 mm) off the slab. Will amplify sound levels in the room. Ideal for all dance styles. **Springstep II** consists of 2 layers of 1/2" (12.70 mm) foam underlayment grade plywood resting on two-inch resilient foam cubes (100 cubes per 4' x 8') or 3" x 3" x 3/4" nominal high foam blocks (52 per 4' x 8'). Requires one-inch deck screws to be counter-sunk and filled. **Stagestep** provides only the foam cubes or blocks, plus all the support you need.

Estimated Costs: Due to current fluctuating market conditions cost of plywood cannot be estimated. Check your local supplier.

Springstep III—The Ballroom Alternative

The most absorbent and least resilient of the subfloors, comes 1 1/2" (38.10 mm) off the slab. Reduces sound levels and works exceedingly well for ballroom dance.

Springstep III consists of 2 layers of 1/2" (12.70 mm) ply resting on 1/2" (12.70 mm) cross-link cell foam sheeting covering the entire slab. Specifications are the same as Springstep II except for 1/2" (12.70 mm) foam sheeting. Requires one-inch deck screws to be counter-sunk and filled. **Stagestep** provides only the foam sheeting, plus all of the instructions and phone support you need.

Estimated Costs: Due to current fluctuating market conditions cost of plywood cannot be estimated. Check your local supplier.

For detailed illustrations and installation instructions, visit stagestep.com/subfloor-systems/#springstep

Telegraphing (visible seams) does not affect performance or wear. It is not a defect. Most floating subfloors will telegraph seams from below.

INDIVIDUAL COMPONENTS

Springstep IV Plus IMPROVED wood panels without foam 23.38" x 23.38" x 5/8" (593.85 mm x 593.85 mm x 15.88 mm) ...check the website or call for pricing.

1/2" foam sheeting**

2" x 2" x 2" foam cubes*
(50.80 mm x 50.80 mm x 50.80 mm)

2" x 2" x 2" peel & stick foam cubes*
(50.80 mm x 50.80 mm x 50.80 mm)

3" x 3" x 3/4" (nominal) peel and stick foam blocks*
(76.20 mm x 76.20 mm 19.05 mm)

***Free shipping & handling in the contiguous United States on a minimum of 250 blocks.**

****Plus shipping & handling. Contact Stagestep for freight estimate.**

Please contact **Stagestep** for shipping & handling information outside the contiguous United States.

See insert for prices in USD which are subject to change without notice. Latest pricing can be found on the website, stagestep.com

INFORMATION ABOUT INSTALLATION AND MAINTENANCE IS PUBLISHED ON OUR WEBSITE

Springstep® IV Plus *IMPROVED*

The professional standard for floating wood resilient permanent and semi-permanent subfloors for use over concrete slabs and other hard surfaces. This subfloor is resilient and energy absorbent. Safety and performance at a great price, for studio, stage or home.

Springstep IV Plus

The easy subfloor. The nominal 2' x 2' pre-fabricated panels, with tongue and groove, rest on "L" shaped high-density foam suspension forms. Springstep IV Plus offers excellent energy absorption and resilience with enhanced durability. Its tongue and groove system allows for easy assembly and disassembly if necessary.

The 9.4 lb panels can be installed in hours instead of days. No screws. No staples. No nails. No patching. No sanding. It is 1/4 the work with no tools required.*

*Circular saw will be needed for custom fit. For detailed illustrations and installation instructions, visit stagestep.com

Telegraphing (visible seams) does not affect performance or wear. It is not a defect. All floating subfloors will telegraph seams from below.

Springstep IV Plus Variations

Wood Panel Size	23.125" x 23.125" x .5625" or 23 1/8" x 23 1/8" x 9/16"
<i>For all Springstep</i>	587.375 mm x 587.375 mm x 14.2875 mm
	3.71 sf (.345 m2)

SPRINGSTEP IV

Underlayment	Pre-Assembled Panels 3/4" thick (19.05 mm)— "L" shaped foam forms
---------------------	---

SPRINGSTEP IV-A (Ballroom & Sound-Proofing)

Underlayment	Foam Sheeting with Panels – Rolls Out 1/2" thick (12.70 mm)— foam sheeting
---------------------	--

SPRINGSTEP IV-B (Additional Resilience)

Underlayment	Cubes with Panel– Assembly Required 2" thick (50.8 mm) foam cubes
---------------------	---

SPRINGSTEP IV-C (Additional Resilience)

Underlayment	Cubes with Panels (peel & stick) – Assembly Required 2" thick (50.8 mm) foam cubes
---------------------	--



SPRINGSTEP IV-D (For Black Box Spaces)

Underlayment	Pre-Assembled Panels (with 1/3" wood brakes) 3/4" thick (19.05 mm)— "L" shaped foam forms
---------------------	---

At A Glance

- Do it yourself in hours instead of days
- Cost-effective
- No hardware, screws, patching, or sanding
- Resilient and shock absorbent
- Improves performance
- Safe
- Transportable
- Eco-friendly
- Reusable
- Choice of multiple systems for any movement activity
- Snap together tongue and groove construction layer

Springstep IV Plus staggered seam layout



Springstep IV install

See insert or website for current pricing.

To order, call in the U.S. (800) 523-0960 or Canada (866) 491-9019
(215) 636-9000 • stagestep.com • sales@stagestep.com



Personal Practice Mats & Boards

At home, in the studio, or on stage, dancers need the flooring system that protects from injury and enhances performance. These products are designed for easy installation and removal, while providing the dancer a safe environment in which to practice. If you have any questions, please call or email **Stagelstep**.

Timestep Mat (See pages 8-9 for product details.)

8' x 6.56' (2.44 lm x 2 lm)

Timestep T Mat (See pages 8-9 for product details.)

4' x 6.56' (1.22 lm x 2 lm)

8' x 6.56' (2.44 lm x 2 lm)

Woodstep Plus Mat (See pages 12 for product details.)

4' x 6.56' (1.22 lm x 2 lm)

8' x 6.56' (2.44 lm x 2 lm)

Dancestep Plus Mat

Cushion-backed floor with dual density foam for extra absorbency. (See page 13 for product details.)

4' x 6.56' (1.22 lm x 2 lm)

8' x 6.56' (2.44 lm x 2 lm)

All floors available in larger configurations.

Tap In A Tube

A professional, multi-purpose, portable, heavy-duty **Timestep** practice floor in its own storage tube with a roll of tape. This is everything you need to protect your floors at home. Just roll it out, tape the corners, and you are ready to practice. It can handle any style dance—and is available in marbled grey, and marbled tan.

4' x 6.56' (1.22 lm x 2 lm)

Rollout Tap Mat

The portable **Tap Mat** is a solid bamboo, rollout, slatted floor with beveled edges and great sound for tap. This heavy-duty, long-lasting floor is easy to maintain.

Student 3 1/2' x 4'

Professional 4' x 6'

Free shipping & handling for all products on this page in the contiguous United States. Order online. See insert for pricing or check our website.

Ballet Boards

Super Timestep floor surface that's perfect for ballet with super non-slip surface. Professional quality, long-lasting board with foam backing for joint protection and fatigue reduction.

4' x 2' (1.22 lm x .61 lm) 24 lbs. (11 kg)

4' x 3' (1.22 lm x .91 lm) 35 lbs. (16 kg)

Tap Boards

Great sound at home with an improved look and finish with a 5/8" thick wood and **Timestep** laminated tap surface and 3/4" high-density foam shock layer. Computer-manufactured with beveled edges and built-in handle to protect dancers. It can fit in a closet, under a bed, and in the trunk of your car for travel. It is lightweight and great over virtually any floor surface.

4' x 2' (1.22 lm x .61 lm) 24 lbs. (11 kg)

4' x 3' (1.22 lm x .91 lm) 35 lbs. (16 kg)

Turning Boards

Super Bravo floor surface that's perfect for turning with super non-slip surface. Professional quality, long-lasting board with foam backing for joint protection and fatigue reduction.

4' x 2' (1.22 lm x .61 lm) 24 lbs. (11 kg)

4' x 3' (1.22 lm x .91 lm) 35 lbs. (16 kg)



Photo credit Margo Reed Studio featuring the Quiner Sisters.

Home Studio Flooring

Encore Home

Encore Home is comprised of 6, 12 or 18 click-and-lock hardwood panels which are suitable for tap, jazz, contemporary and ballroom use. These hardwood panels, with an integrated floating subfloor, have a factory finish and are easily assembled and disassembled for storing or transporting. They can be installed over any firm level surface.

Encore Home (Oak)

8' x 4' (2.42 lm x 1.2 lm) 69 lbs (32 kg)

8' x 8' (2.42 lm x 2.4 lm) 138 lbs (63 kg)

8' x 12' (2.42 lm x 3.6 lm) 207 lbs (94 kg)

Encore Home Elite (Maple)

8' x 4' (2.42 lm x 1.2 lm) 69 lbs (32 kg).

8' x 8' (2.42 lm x 2.4 lm) 138 lbs (63 kg)

8' x 12' (2.42 lm x 3.6 lm) 207 lbs (94 kg)

Note Encore Home floors **cannot** be combined. Each floor is complete and cannot be joined with another Encore Home floor to expand floor size.

**Free shipping & handling in the contiguous United States. Order online.*

PRE CUT FLOORING

Quantities are Limited to 4 rolls.

Super Bravo (See page 10 for product details.)

Timestep (See pages 8-9 for product details.)

Rave (See page 11 for product details.)

Dancestep Plus (See page 13 for product details.)

Woodstep Plus and Woodstep Ultra (See page 12 for product details.)

Super Bravo and Super Bravo Pro (See page 10 for product details.)

SUBFLOOR SYSTEMS

Springstep IV Plus

Sold by the Panel (See page 19 for details.)

See insert for pricing or check the website.

CLOSEOUTS AND DISCOUNTS

Check out the discount and closeout mats, boards, and pre-cut flooring online at www.Stagestep.com

See insert or website for current pricing.

Our Customers Say It Best

*"In more than 25 years in the business, I have been able to rely on **Stagestep** for all of my dance floor needs. Their dedication to excellent customer service and commitment to their clientele is a perfect match for my own. As a small business owner just starting out, I was treated with the same respect and consideration that I now enjoy as the COO of the largest rehearsal studio company in the world. **Stagestep** is the best in their business, and have been instrumental in helping us become the best in ours."*


Butch Grier

COO, Ripley Grier Studios
New York, NY



Encore Home

To order, call in the U.S. (800) 523-0960 or Canada (866) 491-9019
(215) 636-9000 • stagestep.com • sales@stagestep.com



ReUselt

ReUselt System

New improved formulation.

The **ReUselt** system gives you all the benefits of a permanent installation with the ease of a semi-permanent installation—without the use of top tape or the hassle of resetting your floor every two years. When you need to remove the floor, you simply peel it up and take it away. Purchase a new supply of **ReUselt** and install at your new location. Used **ReUselt** is removed from the sub-floor and thrown away. This is a DIY product. Just follow the easy directions that come with each roll.

Full rolls only

3 1/4' x 82 1/2' = 268 sq. ft. (1 lm x 25 lm)

Save 10% when purchased with flooring.

Note Not for use with Timestep T.

Caution Exposure to extreme or variable heat conditions can cause failure. Contact **Stagestep** with questions.

For use with **Springstep IV** system.
(Other subfloor systems have not been tested.)
Installation instructions are available online at stagestep.com

See insert or our website for latest pricing.

Free shipping & handling for all products on this page in the contiguous United States. Order online.

Caution Most tape has latex in the adhesive.

Flooring Install Supplies/Tapes

TOP TAPES

(6 roll minimum on all vinyl and cloth tapes)

Vinyl Tape

1 1/2" x 36 yds. (36 mm x 32.92 lm)

Save 20% off a case of 24 rolls

Available in black and grey. Other colors including white available by the case only.

Vinyl Tape

2" x 36 yds. (48 mm x 32.92 lm)

Save 20% off a case of 24 rolls

Available in black and grey. Other colors including white available by the case only.

Clear Tape

1 1/2" x 36 yds. (36 mm x 32.92 lm)

Save 20% off a case of 24 rolls

Clear Tape

2" x 36 yds. (48 mm x 32.92 lm)

Save 20% off a case of 24 rolls

Cloth Tape

1 1/2" x 55 yds. (36 mm x 50 lm)

Save 10% off a case of 32 rolls

Available in black and grey.

Gaffers Tape

2" x 55 yds. (48 mm x 50 lm)

Save 10% off a case of 24 rolls

The real thing. Absolutely matte finish. Heavy-duty adhesive.

Available in black and grey.

DOUBLE-FACED TAPES

(3 roll minimum)

Release Double-Faced Tape (2")

2" x 36 yds. (48 mm x 32.92 lm)

Save 20% off a case of 24 rolls

Used in conjunction with top seam tape. Anchors all types of flooring.

Professional Seam Tape (4")

4" x 36 yds. (96 mm x 32.92 lm)

Can be used instead of 2" **Double-Faced Tape** for semi-permanent installs without the need of top tape.

SPECIALTY TAPE

Glo-Tape

1" x 10 yds. (25.40 mm x 9.14 lm. Waterproof phosphorous Glo-tape will glow forever.

Buy two—get the third at 50% off



See insert or website for latest pricing on this page.

INFORMATION ABOUT INSTALLATION AND MAINTENANCE IS PUBLISHED ON OUR WEBSITE

Adhesive, Vapor Barrier, Wall Base

PERMANENT INSTALLATION

Stagestep Vinyl Adhesive

4 Gallon Pail

10% off with flooring order

One gallon covers 15 sq. yds. (13m²)

One bucket covers 540 sq. ft. (52 m²)

Welding Rod

Available for **Timestep** and **Super Timestep** only. Must be professionally installed. Available in black, grey or tan.

300 ft. (91.44 lm)

Stagestep Plastic Vapor Barrier

Excellent **8 mil** sheet vapor barrier with an extra reinforcement scrim laminated in between the polyethylene layers.

4' x 100' 400 sq. ft. (1.22 lm x 30.48 lm)

10% off with flooring order

Moisture Proof Tape

Used in conjunction with **Stagestep Vapor Barrier** on top of seams and around perimeter. Can also be used as seam tape for foam sheeting. (2" x 60 yards)(48 mm x 55 lm)

Bone Dry Concrete Sealer (Liquid)

Bone Dry Plus is a penetrating, permanent, waterproofing concrete sealer. Designed with an anti-microbial for long-term sealing of concrete prior to installing **Stagestep** flooring products. It is easy to apply. With over 30 years of use without call backs or job down time, **Bone Dry** is the ultimate water vapor solution.

Bucket (5 gallons)

One bucket covers (750ft² 7 – 1000 ft²) (69.68m² – 92.9 m²)

10% off with flooring order

Vented Wall Base

Two part system with special backing material allows the area below the subfloor to constantly ventilate. Top layer coordinated color with flooring. Ventilated floor systems maintain the floor's dimensional stability, and help reduce any possible moisture build up below the subfloor. Subflooring should be installed at least 1/2" from wall.

Sold in 78 3/4" (2 lm) long sections

Each section is 4" high with a 2" toe. (\$4.27 per running foot)

Colors—available in Black, Tan, or Grey.

Vented Wall Base Double-Faced Tape

Used in conjunction with Vented Wall Base adhering special backing material (white fluted plastic strips) to the base of wall and wall based to the special backing.

(2" x 60 yards)(48 mm x 55 lm)

See insert or our website for latest pricing.

Free shipping & handling for all products on this page in the contiguous United States. Order online.

Please contact **Stagestep®** for shipping & handling information outside the contiguous United States.

Stagestep Pressure Sensitive Adhesive

For use with cushion-backed floors, **Super Bravo**, **Super Timestep**.

4 Gallon Pail

10% off with flooring order

One gallon covers 15 sq. yds. (13m²)

One bucket covers 540 sq. ft. (52 m²)

Transition Ramp

Transition Ramp Lightweight, poly-resin transition piece is fully portable and easy to install.


It can be placed and relocated without the use of permanent fasteners.

The ramp is non-marring and anti-slip. Strong enough to support over 1,000 pounds. Includes an easy-to-use velcro strip for installation.


Custom sizing available. Call for pricing.

36" wide x 1 1/2" high x 8" slope

36" wide x 1 1/2" high x 18" slope (ADA Compliant)



Transition Ramp



To order, call in the U.S. (800) 523-0960 or Canada (866) 491-9019
(215) 636-9000 • stagestep.com • sales@stagestep.com

Maintenance

TapShield

A revolutionary topical solution.

Helps eliminate aluminum compound tap residue from all floors. **TapShield** is applied directly on to taps. Follow directions provided. One application treats one pair of shoes.

TapShield Single Use Size

Sold in quantities:

- 25
- 50
- 100

Micron Wipes

Stagestep's **Micron Wipe** picks up aluminum compound residue deposited by most tap shoes. The thinner Micron microfilament traps more dirt, dust, liquid, and bacteria than conventional microfiber.

- 5-10 times thinner than microfiber
- Lint-free and non-woven, no fraying
- Absorbs 5 times its weight in liquids
- Washable & reusable
- Fast drying



Pack of 10 Wipes (15 3/4" x 15 3/4" ea)



WINTER NOTIFICATION

Slip NoMor, ProClean NS and SimplyGone products shipping between December 15th to March 15th, or whenever freezing weather is forecast, require a \$5 surcharge for an added heat pack. Plus third day shipping cost if necessary.

ProClean

Super-concentrated industrial-strength floor detergent/degreaser that will not harm your floor or floor finish.

- Single** (1 gallon)
- Case of Four** (4 gallons)
- Pail** (5 gallons)

ProClean NS

Concentrated floor cleaner after initial application(s) delivers one-step non-slip treatment to vinyl floors without harming surface.

- Single** (1 gallon)
- Case of Four** (4 gallons)
- Pail** (5 gallons)

ProClean D No-Rinse

Disinfectant cleaner **virucide, fungicide, mildewstat & odor counteractant. Killing bacteria, fungus, algae, and viruses (e.g. effective against hepatitis-B-virus) and controls mildew. No rinsing when applied with mop. Kills Covid-19.

- Single** (1 gallon)
- Case of Four** (4 gallons)

ProClean Ultra

Super deep clean, to be used twice a year with a floor machine with a green pad at low RPM.

- Single** 1 gallon
- Case of Four** (4 gallons)

Slip NoMor

Our "liquid rosin" is a super-concentrated formula which makes an economical non-slip solution which treats all floor surfaces—wood, tile, vinyl, and linoleum. The perfect substitute for rosin (which is not recommended for vinyl floors ever). Will not damage any surface.

- Single** (1 gallon)
- Case of Four** (4 gallons)
- Pail** (5 gallons)

SimplyGone

Stain remover and spot cleaner for wood and vinyl surfaces. Safely removes the following stains: food, beverages, grease, oil, most shoe polish, heavy grime, and scuff marks. Easy to use. Just apply, agitate and blot up. It is non-flammable and non-toxic and has an unlimited shelf life. It has little or no sudsing.

- Single** (1 gallon)
- Case of Four** (4 gallons)

Wipeout Plus

The eco-friendly, easy-to-use product that is ideal for removing dye and scuff marks. Its improved formula penetrates, loosens and dissolves many unwanted stains from all vinyl and non-porous surfaces. . It is the only solvent recommended for use on Stagestep vinyl dance flooring.

Free shipping & handling for all products on this page in the contiguous United States. Order online.

See insert for prices in USD which are subject to change without notice. Latest pricing can be found on the website, stagestep.com

INFORMATION ABOUT INSTALLATION AND MAINTENANCE IS PUBLISHED ON OUR WEBSITE

Save big when you bundle Maintenance Products

See insert or visit the website for latest prices

Standard Kit

Standard Kit | Includes the basics you need to keep your floor clean and long-lasting:

ProClean (1 gallon)

Super-concentrated industrial-strength floor detergent/degreaser that will not harm your floor or floor finish.

2 Wipeout Plus Bottles

Removes dye, scuff marks, and tape adhesive residue. Its improved formula penetrates, loosens, breaks down and dissolves many unwanted stains from all vinyl and non-porous surfaces.

SimplyGone (1 gallon)

Safely removes the following stains: food, beverages, grease, oil, most shoe polish, heavy grime, and scuff marks.

Standard Kit with ProClean NS

Includes ProClean NS instead of ProClean

Super Kit

Save even more with the Super Kit!

Super Kit | Includes all items you need to keep your floor clean, plus a free Floor-Care Applicator:

ProClean (1 gallon) | 2 Wipeout Plus Bottles | SimplyGone (1 gallon)

ProClean D No-Rinse (1 gallon) | FloorCare Applicator Free with Super Kit!

One (1) mop unit

Super Kit with ProClean NS

Includes ProClean NS instead of ProClean



Stagestep's FloorShield II for Wood and Marley floors

FloorShield II Finish is a unique floor finish, created by Stagestep specifically for dance. Designed to be applied to either vinyl or wood floors. **FloorShield II Finish** is the only product on the market vetted for dance. It is easy to apply and biodegradable. Detailed instructions and everything that you need for application is included with the kit--except the mop frame and bucket which you can pick up at your local hardware store.

FIRST FLOOR FINISH DESIGNED SPECIFICALLY FOR DANCE

FloorShield II Finish Kit delivers these benefits:

- Significantly reduced maintenance
- Enhanced non-slip surface and wear protection
- Rejuvenates existing floor
- Floor refurbishment without replacement
- Lasting finish up to 12 months
- Eliminates the need for waxing, buffing or burnishing
- Makes tap residue easier to clean
- Hides scratch marks

APPLICATION TO NEVER-BEFORE-COATED MARLEY FLOOR INCLUDES

Scrubbing Pad (17") | ProClean Ultra | FloorShield II Finish (2 coats) | 1 gal ProClean
Microfiber Mop Pads (18")

RE-APPLICATION TO FLOORSHIELD II FINISH MARLEY FLOOR

Scrubbing Pad (17") | FloorShield II Stripper | FloorShield II Finish (2 coats)
ProClean, 2 Microfiber Mop Pads (18")*

INITIAL APPLICATION TO UNFINISHED WOOD FLOOR

FloorShield II Finish (2 coats) | ProClean | Microfiber Mop Pads (18")*

RE-APPLICATION TO FLOORSHIELD II FINISHED WOOD FLOOR

Stripping Pad (17") | FloorShield II Finish (2 coats) | ProClean | 2 Microfiber Mop Pads (18")*

* Microfiber Mop (18" frame) and mop bucket with squeeze board to be locally supplied.

Free shipping & handling for all products on this page in the contiguous United States. Order online.

To order, call in the U.S. (800) 523-0960 or Canada (866) 491-9019
(215) 636-9000 • stagestep.com • sales@stagestep.com

Our Customers Say It Best

*"We love **Stagestep** floors and have used them for years. They are extremely durable and easy to clean. Tens of thousands of dancers dance on our **Stagestep** floors each week. These versatile floors are perfect for the extreme punishment we give them."*

Gary Pate

Starpower National Talent Competition

Glassless Mirrors

Lightweight, mylar (glassless) stretched and vacuum-sealed over 1" aluminum framing is distortion-free, is more reflective than glass, and is non-fogging. Wall-mounted mirrors are easy to install with accompanying double-face tape and mounting brackets.

4' x 6' (1.22 lm x 1.83 lm) wall mounted—Vertical

4' x 8' (1.22 lm x 2.44 lm) wall mounted—Vertical

4' x 6' (1.22 lm x 1.83 lm) with rolling wheels—Vertical

4' x 8' (1.22 lm x 2.44 lm) with rolling wheels—Vertical

6' x 4' (1.83 lm x 1.22 lm) with rolling wheels—Horizontal

6' x 6' (1.83 lm x 1.22 lm) with rolling wheels

8' x 4' (2.44 lm x 1.22 lm) with rolling wheels—Horizontal

Please contact **Stagestep** for shipping & handling information outside the contiguous United States.

Order 4 or more mirrors, shipping & handling is free in the contiguous United States. Order online.

Storage and Transporters for Vinyl Rolls

6-Roll Transporter

8-Roll Transporter

Roll Poles(optional)

Transporters for vinyl rolls are custom made for each order.

Allow 3-4 weeks for shipment.

PVC Floor Travel Tube

6' 8" Long, heavy duty PVC tube with 4 1/2" diameter for touring and permanent storage of vinyl marley flooring. Ideal for 2 meters (6.5 Ft) wide rolls of all lengths.

PVC Travel Tube 4-Pack

PVC Travel Tube 5-Pack

PVC Travel Tube 6-Pack

PVC tubes

Call now to place your order. 1(800) 523.0960



Glassless Mirror



Storage and Transporters for Vinyl Rolls

See insert for prices in USD which are subject to change without notice. Latest pricing can be found on the website, stagestep.com

INFORMATION ABOUT INSTALLATION AND MAINTENANCE IS PUBLISHED ON OUR WEBSITE

Terms & Conditions

AVAILABILITY

For items in stock, shipment is typically made within 24–72 hours, excluding weekends and holidays. For special orders including wood flooring, allow 3–6 weeks. Call **Stagestep** for earliest shipment date.

SHIPPING & HANDLING

Flooring and subfloors will be shipped FOB Philadelphia unless otherwise arranged.

All other products will be shipped prepaid UPS or FedEx unless shipped with flooring via interstate trucking. All freight prepaid.

For shipments outside the contiguous United States., please call for shipping & handling cost.

Stagestep is not responsible for delays in shipping & handling once product has left our warehouse.

To order floorcare products or installation products, shop 24 hours a day online or call **(800) 523-0960**, during business hours.

Shipping & handling for most online purchases are free in the 48 contiguous United States. We charge for shipping & handling for online orders to states outside of the contiguous United States. **Call for shipping cost for other locations.**

TERMS & PAYMENT

Purchase orders accepted from city, state, and federal institutions and public school systems. Net 30 days. All other orders must be prepaid. We accept **credit cards** (MasterCard, Visa, Discover, and American Express), **checks**, **wire transfers**, and **money orders** for U.S. currency. We can also provide current exchange rate for foreign currency.

Please note that trucking companies will not make inside deliveries. It is your responsibility to transport flooring from the truck into your facility.

All information and pricing supersedes materials published prior to January 2023. All prices and product specifications subject to change.

DAMAGED SHIPMENT AND CLAIMS

Any non-concealed damage to your shipment must be noted on shipping & handling documents at time of receipt. Photo documentation should be sent to **Stagestep** to facilitate all claims. If you experience any problem with a **Stagestep** product, you must notify us within 72 hours of receipt to validate, exchange, credit, or file insurance claim. Installation of flooring denotes acceptance.

All floor colors shown in this catalog are for reference only. Please call for samples.

Our Preferred Installation Partner



CMG Flooring is a certified Stagestep dance floor installer. CMG will travel to provide professional flooring installation tailored to your studio. They can install your subfloor system, flooring, vinyl or wood, and mirrors.

Our reputation and your satisfaction are of the utmost importance to Stagestep and CMG.

Travel fee and expenses to be paid by the customer for all site visits.

(610) 495-1712
cmgflooring1@comcast.net



Our Preferred Financing Partner



Crestmark Vendor Finance, a division of MetaBank® has many comprehensive lending options designed to meet the needs of the small business owner.

Contact **Sherri Meyers**, National Account Manager, directly at 586-709-1360, Toll Free – 888-800-3705 or mailto: smyers@crestmark.com

Minimum Time in Business is 2 years and \$10,000 minimum floor order is required.

To order, call in the U.S. (800) 523-0960 or Canada (866) 491-9019
(215) 636-9000 • stagestep.com • sales@stagestep.com

STAGESTEP® Flooring Solutions

OFFICIAL FLOORING OF...



atdf.org



joffreyballetschool.com



starpowertalent.com



ripleygrier.com



pearlstudiosnyc.com



danceliferetreat.com



revolutiontalent.com



philadanco.org



iabarcelona.com



starweststudios.com



pennlivearts.org



ptamd.org



dance.osu.edu



desales.edu



okcu.edu

STAGESTEP PARTNERS...



dancemedia.com



dancebusinessweekly.com



danceinforma.com



dancelifeconference.com



ideadance.org



dancemagazine.com



udma.org



regionaldanceamerica.org



iabassociation.org



danceteacherweb.com



morethanjustgreatdancing.com



morethanjustgreatdancing.com

New—Online Quote Requests! stagestep.com/quote

To order call: (800) 523-0960 *United States* | (866) 491-9019 *Canada*

SEMI-PERMANENT, PERMANENT AND PORTABLE FLOORING | FLOATING WOOD SUBFLOORS | MAINTENANCE PRODUCTS
INSTALLATION PRODUCTS | MIRRORS | HOME STUDIOS SUPPLIES

SHOP ONLINE

stagestep.com/shop

*Free Shipping & Handling On Nearly All Online Purchases
to the contiguous United States*

This guide supersedes all previous pricing and technical information as of January 2023

4701 Bath Street, Suite 46-B, Philadelphia, PA 19137 | (215) 636-9000